

PURCHASE ORDER ATTACHMENT P-9C (00)

1/BAG/METHOD IIC DESICCANT

OBJECT: To protect one part, from water and/or vapor, using Mil-P-116, submethod IIC.

UNIT PACKAGE QUANTITY: One part per unit container.

WRAP: Neutral wrapping paper.

CUSHIONING: Cellulosic material, flexible foam, air-cap or equivalent. Do not use shredded paper.

UNIT CONTAINER: Bag, fabricated from opaque material per Mil-B-131, class 1 or class 2, or transparent material per Mil-B-22191, type I, and shall be long enough to permit one additional opening and closure.

PACKAGING METHOD: If the part has an irregular shape, projections or sharp edges, which may damage the unit container bag, or if direct contact with desiccant is unavoidable, cover with wrap or cushioning and hold with tape. Place part into a unit container with desiccant (per Mil-P-116 sec 3.6.5), keeping trapped air to a minimum, and heat seal closed. Place unit containers, in multiples of 5, but not to exceed 100, into an intermediate container which is a corrugated fiberboard box, domestic, RSC, of sufficient quality and strength to insure safe arrival of parts. Fill voids with cushioning.

SHIPPING CONTAINER: Corrugated fiberboard box, domestic, RSC, of sufficient quality and strength to insure safe arrival of parts.

PACKING METHOD: Pack any number of intermediate containers into a shipping container. A maximum gross weight of 40 pounds is recommended, but do not exceed weight limitations of container. Fill voids with cushioning or empty intermediate containers.

MARKING INSTRUCTIONS: Each unit container must be marked with RMSC part number and quantity. Unit containers are exempted from marking only if they hold one (1) part each and RMSC P/N is visible on part.

SPECIAL INSTRUCTIONS: The intermediate container may be used as the shipping container providing the strength and quality are sufficient to insure safe arrival of parts.

PALLETIZATION: If required, palletize with any standard pallet such that a stable, unitized, and stackable load is created. Fibreboard (cardboard) pallets with plastic cup feet are not allowed.

NOTE: To preserve the environment, Raytheon Missile Systems Company recommends that packaging materials which are manufactured from, and or, with CFC's (chlorofluorocarbons) not be used.

This attachment, with its terms and conditions, is an integral part of this purchase order.